

Japanese Journal of Applied Physics

VOLUME 17. 1978

Published Monthly with the Cooperation of
the Physical Society of Japan and the Japan Society of Applied Physics

Publication Board (Apr. 1978—Mar. 1979)

E. Fukada (*Chairman*), A. Miyake (*Vice Chairman*), H. Takuma,
S. Hyodo, T. Kurosawa, T. Suzuki, Y. Gondō, K. Takahashi,
S. Usami, H. Abe, S. Takasu, W. Sasaki

Editorial Board (Apr. 1978—Mar. 1979)

H. Takuma, S. Hyodo (*Editors in Chief*)

I. Hayashi, T. Ichinokawa, S. Iida, T. Ikeda, A. Ikushima, K. Ishiguro,
H. Kamei, N. Kawashima, H. Kukimoto, S. Minami, Y. Mizushima,
K. Mori, S. Nagakura, H. Nagano, T. Niimi, H. Sekizawa, T. Seto,
K. Shimoda, T. Sugano, S. Takata, Y. Takeishi, S. Takeuchi,
S. Tanaka, T. Toya, S. Tsuchiya, J. Umeda, S. Usami, A. Yamamoto

Publication Office

Japanese Journal of Applied Physics

DAINI TOYOKAIJI BUILDING

24-8, SHIMBASHI 4-CHOME, MINATO-KU

TOKYO 105 JAPAN

Copyright © 1978 by the Publication Board,
Japanese Journal of Applied Physics.

All rights reserved.

This publication is partially supported
by the Grant-in-Aid for Scientific Research
from the Ministry of Education, Science and Culture.

JAPANESE JOURNAL OF APPLIED PHYSICS

Contents of Vol. 17 (1978)

NO. 1 (JANUARY)

| | | | |
|-------|--|---|-----|
| ST•SE | Crystal Phases of Nonohmic Zinc Oxide Ceramics | Masanori INADA | 1 |
| ST•CR | The Thermal Behavior and Crystallization Kinetics of Amorphous PdSi Alloys | Nobuhiro FUNAKOSHI, Terutoshi KANAMORI and Toyotaka MANABE | 11 |
| ST•MI | Purification of Latex Suspensions | Kohei AMETANI and Hiizu FUJITA | 17 |
| ST | X-Ray Topographic Study of Defects in ADP Single Crystal | Shigeru Ōki, Kōji FUTAGAMI and Yoshito AKASHI | 23 |
| ST•MP | Configurations, Formations and Burgers Vector of Coupled Dislocations Straddling a Polygon Wall in White Tin Single Crystals | Katuhiko HONDA | 33 |
| CR•SF | Step Growth by Elementary Steps and Multi-Steps on the Surface of Vapour Grown FeCr_2S_4 | Hideaki ISHIZUKI and Ichiroh NAKADA | 43 |
| SF•EP | Hartree-Fock-Slater Model Cluster Calculations. II. Hydrogen Chemisorption on Transition Metal Surfaces | Tetsuo TANABE, Hirohiko ADACHI and Shosuke IMOTO | 49 |
| SF•TI | Auger Study of Preferential Sputtering for Cu-Ni Alloy Sample | Noboru SAEKI and Ryuichi SHIMIZU | 59 |
| SF | Effects of Trichloroethylene Addition on the Thermal Oxidation of Silicon at 1200°C | Takeshi HATTORI | 69 |
| SF•EP | Effects of SiO_2 on Surface Smoothness and Densification of Alumina | Seiichi YAMADA, Nobuo KAMEHARA and Kyohei MURAKAWA | 73 |
| SF•TI | Surface Shape Changes of Tungsten Emitter Studied by the Field Ion Microscopy | Satoshi NISHIGAKI, Shogo NAKAMURA and Tsukasa KURODA | 79 |
| SF | Structure and Electrical Properties of Titanium Nitride Films | Yasuhiro IGASAKI, Hiroji MITSUHASHI, Koichi AZUMA and Tokio MUTO | 85 |
| MP | Viscoelastic and Structural Relaxations in Liquid Cyclohexanol | Pak-Kon CHOI, Kenshiro TAKAGI and Katsuo NEGISHI | 97 |
| TP•SE | Simple Estimation of the Heats of Formation of Binary Semiconductor Compounds from the Melting Temperatures | Iwao TERAMOTO | 103 |
| TP•MI | Fluctuation Spectroscopy: The Determination of Chemical Reaction Rates Based on the Optical Density Fluctuation | Akiyoshi WATANABE, Yoshi-ichi SATO and Yoshito AMAKO | 109 |
| EP | Study on High-Frequency Breakdown in 0.8–0.9 GHz | Kunizo OHKUBO and Kiyokata MATSUURA | 117 |
| OP•QE | Theory of Optical-Microwave Double Resonance. III. Double Resonance with Off-Resonant Optical Radiation | Michio TAKAMI | 125 |
| OP•EP | Boron- and Fluorine-Ion-Implantation into ZnSe Single Crystals | Sadao ADACHI and Yoshio MACHI | 135 |
| MG | Asymmetric 180° Bloch Walls in Fe Single Crystal Films | Takao SUZUKI | 141 |
| WO•SE | New Millimeter and Submillimeter Wave Detecting System Utilizing $n\text{-InSb}$ Electronic Bolometer | Fumihiko NAKAJIMA, Michihiro KOBAYASHI and Shin-ichiro NARITA | 149 |
| WO | Partially Coherent Wave Propagation and Generalized Van Cittert-Zernike Theorem | Kenji KOJIMA | 155 |
| WO•MI | Group Theory in Geometrical Optics | S. A. KHAN | 161 |
| SE | $\text{Ga}_x\text{In}_{1-x}\text{Sb}$ Crystals Grown by Liquid Phase Epitaxy | Kazuaki SEGAWA, Mutsuyuki OTSUBO, Hidejiro MIKI and Keiji FUJIBAYASHI | 165 |
| SE•WO | Mechanism and Properties of Point Contact W-Ni Diode Detectors at $10.6\ \mu\text{m}$ | Yoshizumi YASUOKA, Tomomi SAKURADA and Toyo-o MIYATA | 171 |
| QE | Mode Competition in the $3.51\ \mu\text{m}$ He-Xe Laser in an Axial Magnetic Field | Motoichi OHTSU and Toshiharu TAKO | 177 |
| TI | Measurement of Energy Reflection from Metals Bombarded by 10–30 keV Hydrogen Ion Beam | Shigeru TANAKA, Yoshio MURAKAMI and Takemasa SHIBATA | 183 |
| TI | Co-Axial Type Photomultiplier Using Electron Oscillation—Analysis of Operation and Fundamental Experiment— | Nobuhisa OHGASHI and Masanobu MORITA | 191 |
| MI | Influence of Plasma Layer on Steady Blood Flow in Microvessels | Noriko IIDA | 203 |
| MI | The Application of Pulsed Magnetic Fields to the Stimulation of Bone Healing in Humans | J. WATSON and E. M. DOWNES | 215 |
| MI•ST | Observation of Forming Process of Bubble Domain Texture in Liquid Crystals | Nobuhiko NAWA and Kenichi NAKAMURA | 219 |

Short Notes

| | | | |
|-------|--|--|-----|
| CR•SE | Epitaxial Growth of ZnS by Zn-S-H ₂ CVD Method | Takashi MATSUMOTO and Tetsuro ISHIDA | 227 |
| EP•SE | Anomalous Enhancement of Electron Paramagnetic Resonance Signal of Mn ²⁺ in N-Ion-Implanted CdS | Sadao ADACHI and Yoshio MACHI | 229 |
| MG•EP | A Strong Axial Crystal Field of Mn ²⁺ in Pyrite Phase MgTe ₂ | Osamu OKADA and Tomonao MIYADAI | 231 |
| SE•ST | Effect of As Vapor Pressure on Etch Pit Density and Junction Depth for Cd Diffused GaAs | Nosho TOYAMA and Shigetomo YOSHIDA | 233 |
| SE•NU | Etching Characteristics of Various Materials by Plasma Reactive Sputter Etching | Seitaro MATSUO | 235 |
| SD•WO | Observation of Internal Interference in the Emission Spectrum of the Burrus Type GaAs-GaAlAs DH LED's with Thin Active Layer | Noriyuki SHIMANO, Toshitsugu YAMAMOTO, Toshio KAWASAKI, Hiroshi TAKANO and Yasuo MORIMOTO | 237 |
| QE | Effect of SF ₆ Addition to a High-Pressure Nitrogen Laser | Mitsuo MAEDA, Kooji YAMASHITA and Yasushi MIYAZOE | 239 |
| QE•SD | Suppression of Relaxation Oscillation by Chemical Etching on Cleaved Facets of Semiconductor Lasers | Tadahisa OTA and Takeshi KOBAYASHI | 241 |
| QE | Direct Measurement of Vibrational Decay and Fluorescence Lifetime of Erythrosine Dye in S ₁ -Excited State | Iwao KITAZIMA, Noriaki MIYANAGA and Hiroshi IWASAWA | 243 |
| NU•QE | Pressure Dependence of Self-Generated Magnetic Field in CO ₂ Laser Produced CD ₂ Target Plasma | Aye THEIN, Yoneyoshi KITAGAWA, Yoshiyuki YAMADA, Ryukichi TAKAHASHI, Izumi TSUDA and Masahiro YOKOYAMA | 245 |
| MI•SE | Effect of Permittivity on the Measurement of Microwave Conductivity by Eddy Current Loss Method | Yoshiyuki WATANABE, Ken MAEDA and Shozo SAITO | 247 |
| CR•ST | Epitaxial Growth of CrO ₂ on Sapphire in Air | Shozo ISHIBASHI, Tatsuru NAMIKAWA and Minoru SATOU | 249 |
| MP•ST | A Yielding Model on the Plateau Stress in KCl-KBr Solid Solution Single Crystals | Masao SAKAMOTO and Tomoharu YAMADA | 251 |
| EP | ESR and Luminescence of Mn ²⁺ in Polycrystalline Na ₂ S | Yasunori YANAGISAWA and Ryoiti HUZIMURA | 253 |
| OP•QE | Temporal Power Variation of Second and Fourth Harmonics of Q-Switched YAG Laser Radiation | Takuzo SATO | 255 |
| MG | Change of the Magnetic Property in Some Amorphous Alloys by Low Temperature Annealing | Osamu KOHMOOTO, Norishige YAMAGUCHI, Kazuo OHYA and Hiroki FUJISHIMA | 257 |
| MG•ST | Ferromagnetic Domains in F.C.C. Cobalt Fine Particles Observed by Lorentz Electron Microscopy | Tatsuo ARII, Shigeki YATSUYA, Nobuhiko WADA and Kazuhiro MIHAMA | 259 |
| MI•SF | Temperature Dependence of Pretilt Angle for Nematic Liquid Crystals | Akira TODA, Hitoshi MADA and Shunsuke KOBAYASHI | 261 |
| EP | Observation of Conductance Anomalies in Pb-SiO ₂ -Au Tunnel Junctions | Akihiro MORITANI, Masamichi YOKOGAWA, Akihiko MURAKAMI and Junkichi NAKAI | 263 |

NO. 2 (FEBRUARY)

| | | | |
|-------|---|--|-----|
| ST•TP | Temperature and Field Effect in Polymethyl Methacrylate Thermoelectrets | Karol MAZUR | 265 |
| ST•MP | Solution Hardening and Softening in KCl-KBr Single Crystals at Low Temperatures | Toshihiko KATAOKA, Teruyoshi UEMATSU and Tomoharu YAMADA | 271 |
| ST•OP | Radiation-Induced Centers in Lithium Disilicate Glass | Akira DOI | 273 |
| ST•OP | Triplet Exciton Trapping by Dislocations in Anthracene Crystals | Akira SASAKI and Sohachiro HAYAKAWA | 281 |
| CR•ST | Formation of Ultrafine Particles by Gas-Evaporation Technique. V. Silicon and Germanium in Argon | Yahachi SAITO, Shigeki YATSUYA, Kazuhiro MIHAMA and Ryozi UYEDA | 291 |
| CR•SE | X-Ray Topographic Study of the Defects in GaAs Epi-Layers Grown by Liquid Phase Epitaxial Method. II. | Krishna KUMAR and Mieko TAKAGI | 293 |
| CR•MP | Studies of Ordered Monodisperse Polystyrene Latexes. I. Shear Ultrasonic Measurements | Shigeki MITAKU, Toshiya OHTSUKI, Katsumi ENARI, Akihiko KISHIMOTO and Koji OKANO | 301 |
| SF•SE | X-Ray Photoemission Study of the Interaction of Oxygen and Air with Cleaved GaAs (110) Surfaces | Hiroshi IWASAKI, Yusuke MIZOKAWA, Ryusuke NISHITANI and Shogo NAKAMURA | 311 |

| | | | |
|-------|---|--|-----|
| SF•SE | An XPS Analysis of Thermally Grown Oxide Film on GaP | Ryusuke NISHITANI, Hiroshi IWASAKI, Yusuke MIZOKAWA and Shogo NAKAMURA | 321 |
| MP•SE | Dislocation Velocities in InAs and GaSb | Sun Keun CHOI, Minoru MIHARA and Toshiyuki NINOMIYA | 329 |
| EP•OP | Behavior of Copper Impurity in ZnSe | Masafumi YAMAGUCHI and Toshio SHIGEMATSU | 335 |
| EP•CR | Some Solid Solutions of the $A_5B_{10}O_{30}$ - and $A_6B_{10}O_{30}$ -Type Tungsten-Bronze Ferroelectrics | Takuro IKEDA, Katsunori UNO, Kenji OYAMADA, Atsushi SAGARA, Jun-ichi KATO, Shoji TAKANO and Hidetaka SATO | 341 |
| MG•ST | Effects of the Oxygen Nonstoichiometry on the Domain Structure and the Initial Permeability in Mn-Zn Ferrites | Toshikazu TANAKA | 349 |
| MG•CR | Magnetic Properties of Extremely Fine Particles of Iron Prepared by Vacuum Evaporation on Running Oil Substrate | Shigeki YATSUYA, Takayoshi HAYASHI, Hiroshi AKOH, Eiji NAKAMURA and Akira TASAKI | 355 |
| MG | Magnetic Anisotropy Induced by Magnetic and Stress Annealing in Co, Co-Ni and Co-Fe Alloys | Minoru TAKAHASHI and Tatsuo KÖNO | 361 |
| MG | Magnetic Susceptibility, Thermal Expansion and Electrical Resistivity of MnSe | Takashi ITO, Kazuyoshi ITO and Masahiro OKA | 371 |
| MG•MI | A Method for Analyzing Inhomogeneities of Magnetic Field in Electromagnet | Katsushige TSUNO | 375 |
| WO | Contouring Method by Parallel Light Moiré Holography | Kuniharu ASAI | 383 |
| WO•CR | Nucleation of Focal-Conic Domains in the Field-Induced Nematic Texture of a Cholesteric Liquid Crystal | Masao KAWACHI, Osamu KOGURE and Katsumi KATO | 391 |
| WO•OP | Transient Behaviors of Field-Induced Reorientation in Various Oriented Nematic Liquid Crystals | Susumu SAITO and Hiroshi YAMAMOTO | 395 |
| SE•SD | Microzone Recrystallization of InSb Thin Films for Hall Effect Magnetic Heads | Tetsu OI, Nobuo KOTERA, Junji SHIGETA, Naoki YAMAMOTO and Muneyasu NAKASHIMA | 407 |
| SD•SE | Influence of Crystalline Defects and Residual Stress on the Electrical Characteristics of SOS MOS Devices | Shinji ONGA, Katsunori HATANAKA, Shinji KAWAJI and Yukio YASUDA | 413 |
| NU | Hole Geometry Optimization of the Extraction Electrode in a Duopigatron Ion Source | Yoshihiro OHARA, Shinzaburo MATSUDA, Hirofumi SHIRAKATA and Shigeru TANAKA | 423 |
| TI•MI | Artificial Cold Resistors | Katsunobu OIDE, Yujiro OGAWA and Hiromasa HIRAKAWA | 429 |

Short Notes

| | | | |
|-------|--|--|-----|
| ST•SE | Existence of Copper Atoms in Quenched Germanium and Their Annealing Effect above 400°C | Yōichi KAMIURA and Fumio HASHIMOTO | 433 |
| EP•CR | Effect of Hydrostatic Pressure on the Ferroelectric Phase Transitions in CsH_2PO_4 and CsD_2PO_4 | Kazuo GESI and Kunio OZAWA | 435 |
| EP•CR | Hydrostatic Pressure Effect on Phase Transitions of $PbHPO_4$ and $PbHAsO_4$ | Naohiko YASUDA, Motohide OKAMOTO, Hiroyasu SHIMIZU, Sanji FUJIMOTO, Katsumi YOSHINO and Yoshio INUIISHI | 437 |
| SE•CR | Solubility of Zn_3As_2 in Bi and LPE Growth of Zn_3As_2 on $(Cd_xZn_{1-x})_3As_2$ Substrate from Bi Solution | Ichiro MATSUO, Motohiro IWAMI and Kazuo KAWABE | 439 |
| QE | Quasi-Metastable State Excitation Mechanism in Hollow Cathode Type He-Cd II Laser | Hiromi KAWASE | 441 |
| QE•AT | Measurement of the Population Change in the Na Atomic State Induced by the Laser Radiation Using the Hook Method | Yoshitaka TAKUBO, Masaaki TAKAGI and Mitsuyoshi SHIMAZU | 443 |
| TI | Modified van der Pauw's Method Applied to Powder Compacts | Noriyuki NANBA | 445 |
| ST•CR | Etch Pit Study of GaAs {001} LPE Layer by Molten KOH | Takao TAKENAKA, Hiroshi HAYASHI, Saburoh YAMAMOTO, Kazuhisa MURATA and Toshio INOGUCHI | 447 |
| CR•ST | Interface Growth Feature and Voids in Sapphire Ribbon Crystals | Kazumi WADA and Keigo HOSHIKAWA | 449 |
| MP•TI | Condenser Microphones Having Flat Frequency Response up to 500 kHz | Kiichiro MATSUZAWA | 451 |
| OP•ST | Emission Spectra of Thermoluminescence in $CaSO_4$ | Akihiro TOMITA and Kenjiro TSUTSUMI | 453 |
| MG | Magnetic Annealing Effect for Dilute Cobalt-Rare Earth Alloys ($R=Th, Dy, Ho$ and Er) | Migaku TAKAHASHI, Masatoshi KAWAYA, Shizuo KADOWAKI, Tokuo WAKIYAMA and Takeshi ANAYAMA | 455 |

| | | |
|-------|---|---|
| SE | Arsenic Diffusion in Silicon from Doped Polycrystalline Silicon | Junichi MUROTA, Eisuke ARAI, Kenji KOBAYASHI and Kiyoshi KUDO 457 |
| QE | The Influences of He Metastable Atoms on Laser Power in Hollow Cathode He-Cd(8067 Å) and He-Zn(7588 Å) Lasers | Tetsuo IJIMA 459 |
| QE•AT | A High Resolution Infrared Spectrum of C ₂ H ₆ Using a Pb _{0.93} Sn _{0.07} Te Diode Laser | Haruo KAWAKAMI, Yasukazu IZAWA and Chiyoe YAMANAKA 461 |

NO. 3 (MARCH)

| | | |
|-------|---|---|
| ST | Defect States in Chalcogenide Glasses | Tatsuo SHIMIZU 463 |
| ST•MI | Direct Observation of Crystal Transformation Process of Poly(vinylidene fluoride) under High Pressure by PSPC X-Ray System | Kazumi MATSUSHIGE, Kiyofumi NAGATA and Tetuo TAKEMURA 467 |
| SF | Electrical Properties of Manganous Telluride Films | A. GOSWAMI and A. B. MANDALE 473 |
| MP | Hydrodynamic Lubrication of a Porous Composite Slider Bearing | M. V. BHAT 479 |
| EP•ST | D.C. Partial Discharge and Current in Polyethylene | Kazuo WATANABE 483 |
| OP•ST | Polarization Study of Tetragonal Cu ⁺ Aggregate Centers in CsBr Crystals | Toshiaki FUJITA 491 |
| WO | Wave Propagation from Curved Surface | Kenji KOJIMA 497 |
| SE•CR | Improvement of Crystal Composition in Ga _{1-x} Al _x As LPE Layers Grown under Conditions of Constant Cooling Rate | Atsutoshi DOI, Motohisa HIRAO and Ryoichi ITO 503 |
| SE•CR | Correlation between Dislocation Pits in GaP LPE Layers and LEC Substrates | Tatsuro BEPPU, Makoto TASHIRO, Keiji HIRAHARA and Masayuki WATANABE 509 |
| SE•OP | Photoluminescence Study of Epitaxial AlGaAs Layer Grown from Pre-Heated Ga Solution | Makoto ISHII and Akiko ITO 515 |
| SE | Application of Modulated Phase-Shift-Difference Method with Rotating Quarter-Wave Plate to CuGaS ₂ | Hiromichi HORINAKA, Nobuyuki YAMAMOTO and Takeshi MIYAUCHI 521 |
| QE•AT | Spectroscopic Study of a Discharge-Pumped XeF Laser at High Resolution | Midori SHIMAUCHI, Shiro KARASAWA and Tokiwa MIURA 527 |
| QE | Reduction of Quantum Noise in Very Narrow Planar Stripe Lasers | Takeshi KOBAYASHI, Yoshifumi TAKANASHI and Yoshitaka FURUKAWA 535 |
| TI•WO | Deep-UV Photolithography | Yoshiaki MIMURA, Takashi OHKUBO, Tatsuo TAKEUCHI and Kyoza SEKIKAWA 541 |
| MI | AC Losses in a Slab of a Nonideal Type II Superconductor. I. Losses in a Small AC Magnetic Field of a Trapezoidal Wave Form | Teruko KAWASHIMA, Tadao EZAKI and Kaoru YAMAFUJI 551 |
| MI•AT | X-Ray Fe K Absorption Edges of [Fe(CN) ₆] ⁴⁻ and [Fe(CN) ₆] ³⁻ | Masayoshi OBASHI 563 |

Short Notes

| | | |
|-------|---|--|
| ST | Structure and Crystallization of Very Thin Amorphous WO ₃ Films | Makoto SHIOJIRI, Toshio MIYANO and Chihiro KAITO 567 |
| ST•MP | Elastic Stiffness Constants in White Tin | Katuhiko HONDA 569 |
| CR•SE | Vapor Growth of Zinc Telluride by Closed Tube Method | Mitsuhiro NISHIO, Hiroshi OGAWA and Eiichi YAMADA 571 |
| SF•EP | Pb(Zr•Ti)O ₃ Films by RF Sputtering in PbO Vapour | Yoshihiro SHINTANI, Kazuo SATO, Mikio SAKAMOTO, Hiroshi FUKUDA and Osamu TAIDA 573 |
| SF•TI | Synthesis of Titanium Nitride by Enhanced ARE Process | Hidefumi MORI and Hideo YOSHIHARA 575 |
| MG | On the Coercive Forces in Polycrystalline (MgFe ₂ O ₄) _{1-y} (Mn ₃ O ₄) _y | Seizo KAINUMA 577 |
| SE | Monitoring of Dry Etching Process of SiO ₂ on Si by Using Mass Spectra | Masaharu OSHIMA 579 |
| SE•OP | Effects of Heat Treatment of CdSe Single Crystals in Se Vapor | Hiroshi NIMURA, Kazumi KOYAMA, Seiji KAMADA and Tanehiro NAKAU 581 |
| SD•SE | Anomalous Gate Current Oscillation due to Hot Carrier Effect in MOS Diodes | Isao SAKATA and Toshiaki IKOMA 583 |
| SD•OP | Polycrystalline Thin Film CdS/CdTe Solar Cells | Hiroshi UDA, Hiromitsu TANIGUCHI, Manabu YOSHIDA and Toshio YAMASHITA 585 |
| QE•SE | Cleaving Process of GaAs Wafers | Kenji KUMABE, Yoshiro OHMACHI, Nobuo MATSUMOTO and George MOTOSUGI 587 |
| QE•SD | Monolithic Integration of Laser and Amplifier/Detector by Twin-Guide Structure | Katsumi KISHINO, Yasuharu SUEMATSU, Katsuyuki UTAKE and Hideo KAWANISHI 589 |

| | | |
|----------------|---|--|
| ST | Neutron Diffraction Topographic Observation of Twinned Silicon Crystal | Hiroshi TOMIMITSU and Cloude ZEYEN 591 |
| EP | Thermally Stimulated Current in Polyethylene Terephthalate in the High Temperature Region | Keiichi MIYAIRI and Ichiroku YANAGISAWA 593 |
| TI-EP | Fluorescent X-Ray Spectra of Light Elements by Using Synchrotron Orbital Radiation | Osamu AITA, Kouichi ICHIKAWA, Hatsuo NAKAMURA, Yoshio IWASAKI and Kenjiro TSUTSUMI 595 |
| MI-OP | Electro-Optical Effect in Ferroelectric Smectic Liquid Crystal | Katsumi YOSHINO, K. G. BALAKRISHNAN, Tsutomu UEMOTO, Yasuro IWASAKI and Yoshio INUISHI 597 |
| Erratum | | |
| QE-SD | Suppression of Relaxation Oscillation by Chemical Etching on Cleaved Facets of Semiconductor Lasers [17 (1978) 241] | Tadahisa OTA and Takeshi KOBAYASHI 599 |

NO. 4 (APRIL)

| | | |
|-------|---|--|
| CR-SF | Coalescence Growth of Smoke Particles Prepared by a Gas-Evaporation Technique | Chihiro KAITO 601 |
| CR | Preparation Method of High Purity Aluminum Single Crystals with Low Dislocation Density | Yasuhiko DEGUCHI, Nobuo KAMIGAKI, Kenji KASHIWAYA and Takao KINO 611 |
| SF-CR | Growth and Structure of Titanium Oxide Thin Films. II | Yukio YAMADA 617 |
| MP-CR | Studies of Ordered Monodisperse Latexes. II. Theory of Mechanical Properties | Toshiya OHTSUKI, Shigeki MITAKU and Koji OKANO 627 |
| EP | On the Phenomenon of Morphotropic Tetragonal-Rhombohedral Phase Boundary in the Ferroelectric Ceramics | Lu HANH, Kenji UCHINO and Shōichiro NOMURA 637 |
| EP-NU | Pulseless Corona in Negative Point to Plane Gap | Yoshitaka KONDO and Yasunori MIYOSHI 643 |
| OP-ST | Photoluminescence Study in Polymers | Yoshiaki TAKAI, Teruyoshi MIZUTANI and Masayuki IEDA 651 |
| MG-CR | Preparation and Magnetic Properties of Cr-Modified Mn_2Sb Thin Films | Shigetoshi OOSHIMA, Tokuo WAKIYAMA and Takeshi ANAYAMA 659 |
| SE | Oscillatory Amplitude and Damping of Transverse Magnetophonon Resonance for n -Type InSb | Isao FUJISAWA 667 |
| SE-ST | Microstructure of Nonohmic Zinc Oxide Ceramics | Masanori INADA 673 |
| TI-CR | Apparatus for Producing Biaxial Stress at Low Temperature | Mitsuhiko HAYASHI and Seiichi HIRANO 679 |
| TI-ST | Correlation between Crystal Perfection and Reflection Intensity of Analyzer Crystal for X-Ray Spectra | Eiichi ASADA and Toshimichi TAKIGUCHI 687 |
| TI-WO | A Modified Michelson Fourier Spectrometer for the Far Infrared Spectroscopy | Atsuo KITADE and Kunio YOSHIHARA 695 |
| MI | AC Losses in a Slab of a Nonideal Type II Superconductor. II. Losses in a Small AC Magnetic Field of a Sinusoidal Wave Form | Teruko KAWASHIMA, Takanori SUEYOSHI and Kaoru YAMAFUJI 699 |
| MI-OP | UV Absorption Study on the Reaction of Methyl Radicals behind Shock Waves | Takao TSUBOI 709 |

Short Notes

| | | |
|-------|--|--|
| CR | Preparation of Fine Sodium Chloride Crystals | Hiroshi MOTEKI, Tomomasa EMOTO, Tōru OZAKI and Eiji NAKAMURA 717 |
| SF | Coadsorption of Lanthanum and Boron on Tungsten | Kimio OKUNO, Takaaki SASAKI, Hyunwoo KIM, Toru INOUE and Eizi SUGATA 719 |
| SF-TI | A Simultaneous RHEED/AES Combined System | Tadashi NARUSAWA, Saburo SHIMIZU and Souji KOMIYA 721 |
| MP-OP | An Experiment on the Resolution of Acoustic Image Detector with a Nematic Liquid Crystal | Satoshi NAGAI and Kozo IIZUKA 723 |
| OP-SE | Net Optical Quenching Spectrum and Disappearance of Stationary High-Field Domain in GaAs: Cr Single Crystal | Osamu Yoshie and Mitsuo KAMIHARA 725 |
| SE-ST | Deep Levels in the $n\text{-Al}_{0.3}\text{Ga}_{0.7}\text{As}$ Layer of (AlGa)As Double-Heterostructure Lasers | Toshio UJI 727 |
| QE-OP | Comparison of Theoretical and Experimental 90° Phase-Matching Temperatures for ADP | Takuzo SATO 729 |

| | | | |
|-------|---|---|----|
| TI•MI | Fabrication of Superconducting Weak Links by Electron Beam Lithography and Ion Implantation | Kenji GAMO, Atsuhiko KAJIYA and Susumu NAMBA | 73 |
| TI | Focusing of the Synchrotron Radiation in the Soft X-Ray Region | Sadao AOKI, Shintaro KAWATA and Yoshimi SAKAYANAGI | 73 |
| MI•SD | Temperature and Magnetic Field Dependence of Several Commercial Si-Diodes and Their Applicability as Thermometers | Koshichi NOTO and R. P. HUEBENER | 73 |
| ST•SD | Gate Oxide Defects near the Selectively Oxidized Silicon | Kuniki OHWADA, Kazuhito SAKUMA and Kohei EHARA | 73 |
| CR•SE | Vapor Phase Growth of $Ga_xAl_{1-x}Sb$ | Noboru KITAMURA, Masahiro KAKEHI and Takao WADA | 73 |
| MG | Temperature Dependence of the Magnetic Moment in Rapidly Quenched Ni-B Alloys | Minoru TAKAHASHI, Chong Oh KIM, Masami KOSHIMURA and Takao SUZUKI | 74 |
| SD•SE | Effect of the Band Filling on the Shape of Emission Spectra of $GaAs_{1-x}P_x$ LED's | Yasuo MORIMOTO | 74 |
| QE | Simplified Model for Cavity Flows of Mixing-Type CO_2 Gasdynamic Lasers | Kazuhiko HORIOKA, Koichi KASUYA and Toshimitsu MURASAKI | 74 |
| QE | Temperature Dependence of Optically Pumped NH_3 Laser at $12.08 \mu m$ | Tamio YOSHIDA, Kazuhiko MIYAZAKI and Kazuo FUJISAWA | 74 |
| QE•TI | Construction of an Improved Cesium Frequency Standard (NRLM-II) | Yasuki KOGA, Yasuhiro NAKADAN and Jun YODA | 74 |
| QE•SD | Twin-Guide Laser with Narrow Radiation Angle | Katsuyuki UTAKE, Katsumi KISHINO and Yasuhiro SUEMATSU | 75 |
| NU | Plasma Density Control in a Tokamak | Atsushi OGATA and Teruhiko TAZIMA | 75 |
| TI | Precision Hydrostatic Pycnometer | Ryohei MASUI, Hideo WATANABE and Kôzô IIZUKA | 75 |

Errata

| | | | |
|-------|--|--|----|
| SF•TI | Synthesis of Titanium Nitride by Enhanced ARE Process [17 (1978) 575] | Hidefumi MORI and Hideo YOSHIMURA | 75 |
| SD | Analysis of Degradation Behavior of a Gunn Diode Based on the Dislocation Acceptor Theory [16 (1977) 1829] | Ken'ichi CHINO, Kaneharu FUKUDA and Yoshinori WADA | 75 |
| MI | Influence of Plasma Layer on Steady Blood Flow in Microvessels [17 (1978) 203] | Noriko IIDA | 75 |

NO. 5 (MAY)

| | | | |
|-------|---|--|----|
| ST | Electron Paramagnetic Resonance Studies of Mn^{2+} in Calcium-Doped NaCl | Takeo IRI, Katsuyasu KAWANO and Kenjiro KAMBE | 76 |
| ST•CR | Formation of a Stacking Fault-Free Region in Thermally Oxidized Silicon | Hirofumi SHIMIZU, Akira YOSHINAKA and Yoshitaka SUGITA | 76 |
| CR•SF | Chemical Vapor Deposition of Single-Crystalline ZnO Film with Smooth Surface on Intermediately Sputtered ZnO Thin Film on Sapphire | Shinzo OHNISHI, Yuji HIROKAWA, Tadashi SHIOSAKI and Akira KAWABATA | 77 |
| CR | Growth of ZnS_xSe_{1-x} Layers on ZnS and ZnSe Substrates by a Solid-State-Diffusion Technique | Seiji ASAMI, Atsuko EBINA and Tadashi TAKAHASHI | 77 |
| SF•TI | Increase of Substrate Temperature in High Rate Coaxial Cylindrical Magnetron Sputtering | Tsutomu TSUKADA, Naokichi HOSOKAWA and Haruhiro KOBAYASHI | 78 |
| SF•EP | Quantitative X-Ray Photoelectron Spectroscopic (XPS) Measurement on the Surfaces of GaAs(111), (111) and (110) Single Crystals—Determination of Relative Photo-Auger Ionization Cross Sections and Electron Mean Free Paths by Using the Crystal Regularity of Compound Semiconductors— | Masahiro KUDO, Yoshimasa Nihei and Hitoshi KAMADA | 79 |
| SF•TI | Atomistic Images in Field Ion Microscopy at High Temperatures | Masao DOYAMA, Takashi NISHIDA, Masao OBARA and Shoichiro TANIGAWA | 80 |
| TP | Traffic Current Fluctuation and the Burgers Equation | Toshimitsu MURASHI and Hideyo HIGUCHI | 81 |
| OP•CR | Lattice Distortions and Optical Inhomogeneities in Synthetic Quartz | Fumiko IWASAKI and Masakazu KURASHIGE | 81 |
| OP•SE | Dispersion of the Linear Electrooptic Coefficient and Its Relation to Resonant Raman Scattering in ZnSe | Kazuro KIKUCHI and Kunio TADA | 82 |
| OP•EP | The Role of Cu^+ in the Thermoluminescence of X-Irradiated NaCl | Katsuyuki INABE and Nozomu TAKEUCHI | 83 |
| MG•TI | Inhomogeneity of Magnetic Field of Electromagnet Produced by Parallel Shift of the Central Axis of a Pole Relative to Another Pole | Katsushige TSUNO | 83 |

Contents of Vol. 17 (1978)

| | | | |
|-------|--|---|-----|
| SE | Magneto-Seebeck Effect of Pb-Doped Bi-Sb | Tomoyoshi AONO | 843 |
| SE-OP | Thermally Stimulated Current of CdTe Doped with Zn | Shigeru FUYUKI, Nobuo HYAKUTAKE and Sohachiro HAYAKAWA | 851 |
| SD-SE | Effect of External Resistance in the Vicinity of Current-Mode Second Breakdown in Si PNN ⁺ Structures | Kunio HANE and Tokio SUZUKI | 857 |
| QE | GaAs-AlGaAs DH Lasers with Buried Facet | Shin-ichi TAKAHASHI, Takeshi KOBAYASHI, Hisao SAITO and Yoshitaka FURUKAWA | 865 |
| QE | Propagation of a Quasi-Gaussian Pulse in a Partially Homogeneously Broadened Gas Laser Amplifier: Effects of a Quasi-Gaussian Pulse on Line-Shape Parameter Analysis | Heihachi SATO and Hideya GAMO | 871 |
| QE | Stabilization of a Complex Resonator He-Ne Laser | Atsuo MORINAGA and Keiichi TANAKA | 881 |
| NU | Breakdown of He-Gas by Alternating Electric Field near Ion Cyclotron Frequency | Sadao NAKAMURA, Tetsumori YUYAMA, Hiroshi KUBO, Noboru SHIMOMURA and Kenji MITANI | 889 |
| NU | Axial Electric Field of a Positive Column in a Transverse Magnetic Field | Teruo KANEDA | 895 |
| NU | Doppler Temperature and Particle Confinement Time Determined from Measurements of H ₂ -Line on a Tokamak Plasma in the JFT-2a Device | Satoshi KASAI, Masashi AZUMI, Akimasa FUNAHASHI, Tatsuo SUGIE and Tomonori TAKIZUKA | 903 |
| NU-MI | Analysis of Feedback Control for Tokamak Plasma Equilibrium | Satoshi ITOH, Kazuo TOI and Kiyokata MATSUURA | 911 |
| NU | Relation between Photographically Observed Electron Beam Spot of a Synchrotron and the Amplitude of Betatron Oscillation | Masamoto OTSUKA, Kuninori SATO and Takanori OSHIO | 917 |
| TI-WO | A Method for Measuring High Reflectivity | Takeomi SUZUKI | 929 |
| TI-NU | Low Energy Components of Ions Extracted from an RF Ion Source | Itsuo ISHIKAWA, Toshiaki IINO and Shinji SUGANOMATA | 937 |

Short Notes

| | | | |
|-------|---|--|-----|
| SF-TI | Quantitative XPS Measurement on the Surfaces of GaP, GaSb and ZnSe Single Crystals | Masahiro KUDO, Yoshimasa NIHEI and Hitoshi KAMADA | 945 |
| EP | Prismatic Domain in Gd ₂ (MoO ₄) ₃ | Seiji KOJIMA and Terutaro NAKAMURA | 947 |
| OP | The Dependence of Thermoluminescence Intensity on Heating Rate and the Deep Trap in Lithium Fluoride | V. K. JAIN | 949 |
| SE-OP | Birefringence in CdSiP ₂ | Nobuo ITOH, Takemi FUJINAGA and Tanehiro NAKAU | 951 |
| QE | Gain Spectra in Single Mode Oscillating (AlGa)As TJS Lasers | Etsuji OOMURA, Wataru SUSAKI, Kenji IKEDA and Makoto ISHII | 953 |
| TI-OP | Optical Reflectivity Studies of Damage in Ion Implanted Silicon | Masanobu MIYAO, Takao MIYAZAKI and Takashi TOKUYAMA | 955 |
| MI-OP | Anomalous Magnetic Field Induced Birefringence in 4'-n-Heptiloxo-4-Cyanobiphenyl in Isotropic Phase | Ken-ichi MUTA, Hideo TAKEZOE, Atsuo FUKUDA and Eiichi KUZE | 957 |
| SE-EP | Monte Carlo Calculation of Diffusion Coefficient in n-Type GaAs | Asuo AISHIMA, Kuniyoshi YOKOO and Shoichi ONO | 959 |
| TI-SF | Evaporation Deposition Using a Liquid He Cooled Cryopumping Panel | Hideo FUJIKI and Norihisa KITAMURA | 961 |
| ST-TI | Separate Measurements of Dynamical and Kinematical X-Ray Diffractions from Perfect and Surface-Damaged Single Crystals with a Triple-Crystal Diffractometer | Atsuo IIDA and Kazutake KOHRA | 963 |
| EP-SE | Infrared Quenching of Photocapacitance in ZnS: Ag Evaporated Thin Films | Toshikazu SUDA, Kichie MATSUZAKI and Shoichi KURITA | 965 |
| SD-SE | Diffusion Effect on Negative Resistance in Semiconductor Diodes with Deep Impurity Levels | Takayuki YAMAMOTO, Takashi HARIU and Yukio SHIBATA | 967 |
| QE | High-Power XeCl Excimer Laser by Discharge Pumping | Mitsuo MAEDA, Takashi YAMASHITA and Yasushi MIYAZOE | 969 |
| QE | Enhancement of Thermally Pumped CO ₂ Laser Power by Addition of Ar Gas | Hiroshi HARA and Sadahiko NAKAO | 971 |
| NU | Wall Loss of a Positive Column in a Transverse Magnetic Field | Teruo KANEDA | 973 |

Erratum

| | | | |
|-------|--|---------------------------------|-----|
| SE-SD | Study of the Injection Type IPOS Scheme [16(1977)1635] | Takashi UNAGAMI and Kotaro KATO | 975 |
|-------|--|---------------------------------|-----|

NO. 6 (JUNE)

| | | | |
|-------|---|--|------|
| AT | Formation of He ₂ Molecules in the Early Afterglow of He Pulsed Discharge | Yoshio MATSUURA and Kuniya FUKUDA | 977 |
| ST•EP | Localized States in Amorphous and Polycrystallized Si | Toshio NAKASHITA, Masataka HIROSE and Yukio OSAKA | 985 |
| ST | X-Ray Diffraction Topographic Studies of Antarctic Deep Core Ice | Hitoshi SHOJI and Akira HIGASHI | 993 |
| ST | Annealing Behaviour of Stress in Sb-Implanted Si | Nobuo ITOH, Tanehiro NAKAU, Yasumitsu MORIKAWA and Kouichi NAGAMI | 1003 |
| ST•CR | Problems in Conventional Method for Determining Vacancy Formation Energies in Concentrated Alloys | Chiken KINOSHITA, Masanori KUTSUWADA and Masatomo SHINOHARA | 1009 |
| ST•OP | Optical and Anelastic Absorptions and Resonator Frequency of Electron-Irradiated Quartz | Takashi AOKI and Kazuhiro WADA | 1015 |
| CR•SD | Continuous Growth of LPE Double Layers for GaAs FET | Yasushi NANISHI | 1023 |
| CR•TI | Preparation and Growth of Single Crystals of Anthracene | M. SALEH | 1031 |
| SF•MG | Reactive Condensation and Magnetic Properties of Iron Oxide Films | Yoshichika BANDO, Shigeo HORII and Toshio TAKADA | 1037 |
| SF•SE | Heteroepitaxial Growth of GaP on Silicon by Molecular Beam Epitaxy | Shun-ichi GONDA, Yuichi MATSUSHIMA, Seiji MUKAI, Yunosuke MAKITA and Osamu IGARASHI | 1043 |
| SF•SE | Thermal Oxidation Rate of a Si ₃ N ₄ Film and Its Masking Effect against Oxidation of Silicon | Tatsuya ENOMOTO, Ryo ANDO, Hiroshi MORITA and Haruo NAKAYAMA | 1049 |
| TP•ST | Measurement of Specific Heat of Boron Monophosphide by AC Calorimetry | Jun OHSAWA, Tatsu NISHINAGA and Susumu UCHIYAMA | 1059 |
| OP | Photochemical Reaction in Divalent Anion Doped Alkali Halide Crystals | Jai PRAKASH | 1067 |
| OP•SE | Photo-Response Characteristics of Electrophotographic Plates in Nanosecond Periods | Takao KAWAMURA, Masamichi YAMANISHI, Sizuo YUGE and Uichi KUBO | 1077 |
| MG | Anisotropic Distribution of Atomic Pairs Induced by the Preferential Resputtering Effect in Amorphous Gd-Fe and Gd-Co Films | Yoshikazu NISHIHARA, Toshikazu KATAYAMA, Yuji YAMAGUCHI, Shinji OGAWA and Tachiro TSUSHIMA | 1083 |
| SD•SF | Electrical Properties of Platinum-Silicon Contact Annealed in an H ₂ Ambient | Hiroki MUTA | 1089 |
| QE | Operating Characteristics and Upper Level Population Mechanisms in the 7588-Å He-Zn Hollow Cathode Laser | Tetsuo IJIMA | 1099 |
| QE•SD | Response of an Optical Resonator with Distributed Bragg-Reflectors to Light Pulses | Masahiro OKUDA and Kiyoshi ONAKA | 1105 |
| NU | Penetration of Time-Varying Vertical and Horizontal Magnetic Fields through a Resistive Shell in a Tokamak Apparatus | Taro SOMETANI, Kazuo TOI, Katsumi FUKAGAWA and Satoshi ITOH | 1111 |
| MI•TI | A Broadband and Higher-Power Superconducting Quantum Magnetometer for the Small Signal A-D Converter | Hideaki TAKAYANAGI and Taizo MASUMI | 1117 |

Short Notes

| | | | |
|-------|---|--|------|
| ST•SF | Some New Diffraction Phenomena in Reflection High Energy Electron Diffraction of Clean Silicon (111) Surfaces | Shozo INO | 1121 |
| CR•OP | Epitaxial Growth of ZnSe by Vapor Flow Method | Nobuki MUTSUKURA and Yoshio MACHI | 1123 |
| MP | Amplitude Dependence of Attenuation and Velocity of Acoustic Shock Pulse in Fe-Cr-Al Alloy | Yoshimasa YASUMOTO and Ryoichi TAKEUCHI | 1125 |
| OP•SE | The Effect of Phosphorus on the Edge Luminescence of CdSe Single-Crystals | Hideki HATANO, Yoshihiro KOKUBUN, Hideo WATANABE and Masanobu WADA | 1127 |
| OP•SE | The Origin of the Ultraviolet Emission in ZnO Phosphors | Shigehiro MIYAMOTO | 1129 |
| WO•NU | A Method for Determining Wave Number and Damping Coefficient of Heavily Damped Waves | Kazuyuki OHE and Susumu TAKEDA | 1131 |
| SD | 47-Stage P-MOS Ring Oscillator Circuit Using the Two-Photomask Fabrication Process | Katsufusa SHOHNO, Kathleen J. CALLANAN and Makoto HIRAYAMA | 1133 |
| QE | Far-Infrared Laser Emissions from D ₂ CO | Yasuo HORIUCHI and Akira MURAI | 1135 |
| TI•WO | Two Beam Interference with Field Emission Electron Beam | Akira TONOMURA, Tsuyoshi MATSUDA and Tsutomu KOMODA | 1137 |
| TI | Improvement of the Frequency Stability of the Cs Frequency Standard NRLM-I | Jun YODA, Yasuhiro NAKADAN and Yasuki KOGA | 1139 |
| MI•TP | Equilibration of Ortho-Para Hydrogen Using Chromium Potassium Sulfate for Use in Vapor Pressure Thermometry | Hirohisa SAKURAI | 1141 |

| | | |
|-------|--|------|
| ST-SF | Thermal and Photo Effects on the Textural Change of Red Amorphous Selenium | |
| | Hideo KOSEKI, Tokihiro UENO and Akira ODAJIMA | 1143 |
| ST-CR | Various Dislocation Etch Pits Revealed on LPE GaAs {001} Layer by Molten KOH | |
| | Takao TAKENAKA, Hiroshi HAYASHI, Kazuhisa MURATA and Toshio INOUCHI | 1145 |
| ST-SE | Interaction between Shallow-Level Defects and Copper Atoms in Quenched Germanium | |
| | Yōichi KAMIURA and Fumio HASHIMOTO | 1147 |
| CR-ST | Multiply-Twinned Particles of Germanium —A Supplement to "Formation of Ultrafine Particles by Gas-Evaporation Technique. V"— | |
| | Yahachi SAITO, Shigeki YATSUYA, Kazuhiro MIHAMA and Ryozi UYEDA | 1149 |
| MP | Anomalous Responses of Ultrasonic Velocity to Applied Stress in Aluminum | |
| | Shoji KANEMOCHI and Michijiro AKABOSHI | 1151 |
| OP | Photoconduction of Lead Trititanate | |
| | Shaw EHARA, Kunitaka MURAMATSU, Takeshi HATTORI, Tasuku MASHIO and Masashi SHIMAZU | 1153 |
| OP-SF | Influence of Nonstoichiometric Surface Layer on Properties of CdS Films | |
| | Nobuyoshi TAKAGI, Humiaki YAMADA, Masao TANAKA and Kunihiro TASAI | 1155 |
| SE | Determination of Plasma Gas Temperature during Reactive Sputter Etching | |
| | Masaharu OSHIMA | 1157 |
| SD-SE | Observation of Carrier Generation in CCD Using Monochromatic Light Irradiation | |
| | Takaaki BABA and Reichi SASAKI | 1159 |
| TI-ST | A New Curved X-Ray Position-Sensitive Detector | |
| | Takatoshi IZUMI | 1161 |
| TI-QE | A Simple and Accurate Measuring Technique of the Spot Size of Gaussian Laser Beams | |
| | Akira SASAKI, Fumio YAMADA and Toshiro MASUI | 1163 |
| MI-ST | X-Ray Study on the Pressure-Induced B1-B2 Phase Transition in Single Crystal RbI | |
| | Katsuyuki ASAUMI | 1165 |

NO. 7 (JULY)

| | | |
|-------|---|------|
| ST-AT | ESR Study of Neutron-Irradiated LiCl Crystals | |
| | Yoshifumi UEDA, Ken TAKIYAMA, Masato NISHI and Yukio KAZUMATA | 1167 |
| CR | Growth Mechanism of Multi-Steps on the Surface of Vapour Grown FeCr_2S_4 | |
| | Hideaki ISHIZUKI | 1171 |
| CR-SE | Liquid Phase Epitaxial Growth of High Purity GaAs by Sliding Boat Method | |
| | Yasushi NANISHI | 1177 |
| SF-TI | Electron Impact Mass Spectrometric Study of Vacuum-Deposited Nickel and Gold Films on Silicon Substrates | |
| | Ki Hyun YOON | 1185 |
| SF | Properties of Sn-Doped Indium Oxide Prepared by High Rate and Low Temperature RF Sputtering | |
| | Kuniyoshi ITOYAMA | 1191 |
| MP-WO | Magneto-Optical Properties of Ultrasonic Light Diffraction in Glasses | |
| | Toshihiko YOSHINO | 1197 |
| EP | Galvanomagnetic Properties of Graphite Intercalated with Nitrate | |
| | Kiyoshi KAWAMURA, Tsutomu SAITO and Takuro TSUZUKU | 1207 |
| EP | Field Dependence of Thermally Stimulated Currents from High-Density Polyethylene | |
| | Yasuo SUZUKI, Kazumitsu YASUDA, Teruyoshi MIZUTANI and Masayuki IEDA | 1215 |
| OP-EP | Birefringence in the Sm A Phase and the Disappearance of Helicoidal Structure in the Sm C* Phase Caused by an Electric Field in DOBAMBC | |
| | Hideo TAKEZOE, Ken-ichi FURUHATA, Takashi NAKAGIRI, Atsuo FUKUDA and Eiichi KUZE | 1219 |
| OP | Thin Film DC EL Cell of Au/ZnSe: Mn/n-GaAs Hetero-Structure with the Threshold Voltage of 20 V | |
| | Hideomi OHNISHI and Yoshihiro HAMAKAWA | 1225 |
| WO-QE | Optical Tunable Switched Directional Couplers Consisting of Two Thin-Film Waveguides Using Surface Acoustic Waves | |
| | Tosio KONDO, Yasumitsu MIYAZAKI and Yasuo AKAO | 1231 |
| WO-OP | Light Scattering Characteristics in Nematic-Cholesteric Mixtures with Positive Dielectric Anisotropy | |
| | Masao KAWACHI, Katsumi KATO and Osamu KOGURE | 1245 |
| SD | Plasma Spreading and Turn-On Delay in a Power Thyristor | |
| | Nobuhiko SAWAKI and Tatsu NISHINAGA | 1251 |
| QE-WO | Characteristics of Small-Signal Gain and Saturation Intensity in CO_2 Waveguide Lasers | |
| | Hiromichi SHIRAHATA and Sadahiko NAKAO | 1255 |
| NU | A 2-mm Wave Digital Interferometer for Tokamak Discharges in the Upgraded DIVA | |
| | Akira NAGASHIMA, Akimasa FUNAHASHI, Tomohide KAWAKAMI, Teruaki SHOJI and Koki TAKAHASHI | 1263 |
| TI-WO | Direct Measurement of Optical Transfer Functions of Spectroscopic Systems | |
| | Katuyuki KOZIMA, Hitoshi KANAMORI and Osao MATSUDA | 1271 |

Short Notes

| | | | |
|-------|--|---|------|
| CR•SE | Growth of CdS Whisker | Ryoji TAKAHASHI | 1275 |
| MP | The Third-Order Elastic Constants for Cu-Zn Alloy from Ultrasonic Velocity Measurements | Shoji KANEMOCHI and Michijiro AKABOSHI | 1277 |
| MG•WO | Thermomagnetic Writing in Non-Grooved Garnet Thin Films Prepared by LPE Method | Fumio INOUE, Akiyoshi ITOH and Kenji KAWANISHI | 1279 |
| NU | Measurement of Ion Temperature in Scrape-Off Layer with Katsumata Probe | Kazuo ODAJIMA, Haruyuki KIMURA, Hikosuke MAEDA and Kazumi OHASA | 1281 |
| NU | The Etch Resistance of Electron Beam Resists in Chemical Dry Etching System Using Microwave Excitation | Kiyokatsu JINNO | 1283 |
| MI•SF | A Study on Charge-to-Mass Ratio of Polydisperse Droplets Electrohydrodynamically Produced | Sumitoshi OGATA | 1285 |
| SF•TI | A Gold Decoration Investigation of Graphite Surface Behaviour under Various Vacuum Conditions | Yasuo TAKEDA, Jean-Jacques METOIS and Jean-Claude HEYRAUD | 1287 |
| EP•TI | Platinum-Cobalt Resistance Thermometer for Low Temperature Use | Toshio SHIRATORI and Kiyoto MITSUI | 1289 |
| WO•TI | A Measurement of Polarization Characteristics of Anisotropic Emission Source | Hiromichi HORINAKA, Nobuyuki YAMAMOTO and Takeshi MIYAUCHI | 1291 |
| QE | Multi-Stage Amplification of a Flashlamp-Pumped Dye Laser for Second Harmonic Generation | Mitsuo MAEDA, Osamu UCHINO, Jun-ichi KOHNO and Yasushi MIYAZOE | 1293 |
| QE | High Power 12.08 μm NH_3 Laser | Takayasu MOCHIZUKI, Masanobu YAMANAKA, Masami MORIKAWA and Chiyo YAMANAKA | 1295 |
| QE•MI | Comparisons between Numerical and Approximate Solutions for Vibrational-Nonequilibrium Nozzle Flows of $\text{CO}_2\text{-N}_2$ Mixtures | Kazuhiko HORIOKA, Koichi KASUYA, Keishiro NIU and Toshimitsu MURASAKI | 1297 |
| MI | Influence of Voltage Divider on the Josephson Voltage Standard System | Katsunori SHIDA, Yasushi MURAYAMA, Tadashi ENDO and Akira NAKAMURA | 1299 |

NO. 8 (AUGUST)

| | | | |
|-------|--|--|------|
| ST•TI | Nature and Annealing Behavior of Disorders in Ion Implanted Silicon (<i>Invited Paper</i>) | Takashi TOKUYAMA, Masanobu MIYAO and Naotsugu YOSHIHIRO | 1301 |
| ST•MI | Determination of Radial Size Distribution of Parallel Cylinders from Small-Angle Equatorial X-Ray Scattering. I. A Modified Riseman's Method | Shigeru YAMANE and Akira ODAJIMA | 1317 |
| ST•SD | Degradation of $\text{GaAs}_{0.9}\text{P}_{0.1}$ LED's Operating at High Current Densities | Noriyuki SHIMANO | 1323 |
| CR•EP | Growth by Travelling Heater Method and Characteristic of Undoped High-Resistivity CdTe | Tsunemasa TAGUCHI, Junji SHIRAFUJI and Yoshio INUISHI | 1331 |
| CR•SE | Influence of Nitrogen Heat-Treatment on Silicon Surfaces | Motonobu FUTAGAMI and Masaharu HAMAZAKI | 1343 |
| EP | Crystallographic and Dielectric Properties of $\text{Pb}(\text{Mg}_{1/2}\text{W}_{1/2})\text{O}_3\text{-BiFeO}_3$ Solid Solutions | Kenji UCHINO and Shōichiro NOMURA | 1351 |
| OP•CR | 272 nm Absorption Band of KCl Tablets Mingled with PbCl_2 Powder | Tetsuro NAKATAO and Hiroshi ASADA | 1355 |
| OP•EP | Apparent Threshold Characteristics of Pretilted Liquid Crystal Cells | Sadashi SHIMODA, Hitoshi MADA and Shunsuke KOBAYASHI | 1359 |
| MG•WO | Thermomagnetic Writing on Gd-Fe and Gd-Fe-Y Amorphous Films | Yoshinori MIMURA, Nobutake IMAMURA and Toshihiko KOBAYASHI | 1365 |
| MG | A Study of Wall Structure for Bubble and Plate Domains in h.c.p. Cobalt Single Crystal Foils by 1 MeV High Voltage Lorentz Electron Microscopy | Takao SUZUKI and Minoru TAKAHASHI | 1371 |
| WO•QE | Optical Heterodyne Simulation-Experiments on First-Order Correlation Measurements of Fluctuating Laser Beam | Yoshihiro OHTSUKA | 1377 |
| SE•SD | An Interpretation of Transient Switching Process in Amorphous Films of $\text{As}_{30}\text{Te}_{48}\text{Ge}_{10}\text{Si}_{12}$ | Toru MIYAZONO and Masamori IIDA | 1383 |
| NU•EP | Electron Acceleration by Inhomogeneous Radio-Frequency Field | Shun-ichi KISHIMOTO | 1391 |
| TI | A Servo-Controlled Balance for the Absolute Ampere Determination | Hisao NAKAMURA | 1397 |
| TI•WO | A 1024-Channel Digital Apparatus for Measurements of the Time Interval Distribution | Hideyuki SONODA, Kenichi FUJII, Hideaki SATO, Takanori OSHIO and Norihito SUZUKI | 1405 |

| | | | |
|-------|---|-----------------------------------|------|
| TI•MI | Determination of Fluorescence Anisotropy Decay by Single-Photoelectron Counting at Various Count Rate | Tsutomu KOUYAMA | 1409 |
| MI | Magnetic Modulation of Critical Current in MB DC-SQUID | Naoyuki J. KAWAI and Takuo SUGANO | 1419 |

Short Notes

| | | | |
|-------|--|---|------|
| EP•MI | Inverse Currents against Electric Field in Polymers | Kouzaburo NAKAMURA and Kazuo WATANABE | 1429 |
| EP•OP | Switching Velocity of $Pb_5Ge_{3-x}Si_xO_{11}$ | Toshimasa SUZUKI, Tatsuru NAMIKAWA and Minoru SATOU | 1431 |
| OP•AT | Observation of Isotope Shifts in Three-Level Systems of Atomic Xenon | Motowo TSUKAKOSHI and Koichi SHIMODA | 1433 |
| OP•SD | ZnO Green Light Emitting Diode | Azuma SHIMIZU, Minoru KANBARA, Makoto HADA and Masanobu KASUGA | 1435 |
| WO•MI | Change of Refractive Index Profile during Heat-Treatment Process in Fabricating Plastic Focusing Fiber Lens | Noboru YAMAMOTO and Kenichi IGA | 1437 |
| QE | $Ga_xIn_{1-x}As_{1-y}P_y$ -InP Injection Laser Partially Loaded with Distributed Bragg Reflector | Hideo KAWANISHI, Yasuharu SUEMATSU, Yoshio ITAYA and Shigehisa ARAI | 1439 |
| NU | Some Non-Linear Effects on Self-Exciting Wave in SF_6 Glow Discharge | Shinji SUGANOMATA and Itsuo ISHIKAWA | 1441 |
| NU | Experimental Study on the Moving Striations in a Magnetized Positive Column in Helium | Shingo IMAZU, Kosuke MIURA, Tatsuaki TANIGUCHI, Toshifumi TAKAMATSU and Hiroyuki FUJITA | 1443 |
| TI•WO | Diffraction Grating Ruling Engine with Piezoelectric Control | Kōshi TAKASHIMA and Shigenori NAWATA | 1445 |
| SF•TI | Preparation of X-Ray Lithography Masks with Large Area Sandwich Structure Membrane | Katsumi SUZUKI, Junji MATSUI, Toshiki KADOTA and Toshiro ONO | 1447 |
| MP•WO | Reflection Characteristics of Open-Cell Polyurethane Foam Layers for Ultrasound in Air | Masayuki OCHI and Kiichiro MATSUZAWA | 1449 |
| TP•MI | Effects of Impurity and of Annealing on the Triple Point of Methane | Akira INABA and Kiyoto MITSUI | 1451 |
| EP•TI | Anomaly of Electrical Activation of As Atoms Implanted in Si by Additional Ne Irradiation | Shunji NOJIMA | 1453 |
| SE•EP | Property of Disordered GaAs by Ion Implantation | Shunji NOJIMA and Yasuhiro KAWASAKI | 1455 |
| SE•EP | Electrical Properties of Amorphous Semiconductor Ge_xS_{1-x} | Morihiro YOSHIMURA, Masato TADA, Yoshiaki HAYASHI, Satoru MATSUMOTO and Tatsuya NIIMI | 1457 |
| SD | Junction-Curvature Effect on Breakdown Voltage of Gate-Controlled Planar Diode | Yasuhisa ŌMURA and Kuniki OHWADA | 1459 |
| QE | Laser Emission from New Hydroxycoumarin Dyes | Michio TAKAKUSA, Uichi ITOH, Hiroyuki ANZAI, Harutake MASUKO and Takuzo SATO | 1461 |
| NU | The Energy Spectra of Secondary Electrons from the Metallic Elements Irradiated with ^{60}Co and ^{137}Cs Gamma Rays | Masamoto NAKAMURA and Bunsei KIKUCHI | 1463 |
| TI•ST | Measurement of Young's Modulus in Amorphous Silicon Whiskers | Yukichi TATSUMI, Mikio SHIGI and Mitsuji HIRATA | 1465 |

NO. 9 (SEPTEMBER)

| | | | |
|-------|--|---|------|
| ST | Effects of Aging Temperature on the Formation of Secondary Defects in Quenched α -Brass | Hiroyuki YAMAGUCHI, Hiroshi YAMADA and Sho YOSHIDA | 1467 |
| ST•CR | Propagation Direction of Step Lines and Classification of Line Families in KCl Single Crystal | Tetsuro NAKATAO and Hiroshi ASADA | 1473 |
| CR•SF | An Evidence of Spiral Growth on the Surface of Melt-Grown KCl Crystals | Tetsuo INOUE and Hiroshi KOMATSU | 1479 |
| CR | Etch Pit Studies of Stearic Acid Single Crystal | Kiyotaka SATO, Kazuaki YOKOYAMA, Haruyuki KOUCHI and Masakazu OKADA | 1483 |
| CR•MI | Isotopic Quaternary Diffusion of Carbon Tetrachloride-Benzene-Cyclohexane System | Yoshinobu KAMEI, Yasumichi OISHI and Akio NISHI | 1489 |
| CR•AT | Conformational Change of Liquid Crystalline Ethyl-4'-n-Octyloxy Biphenyl Carboxylate at the Liquid Crystal Phase Transitions | Akira TAKASE, Sakumitsu SAKAGAMI and Minoru NAKAMIZO | 1495 |

| | | |
|--------------------|--|---|
| SF | Nickel Fine Particles Fabricated by Vacuum Evaporation onto Hot Substrates | Minoru TAKAHASHI, Takao SUZUKI, Hiroshi KUSHIMA and Shunichi OGASAWARA 1499 |
| SF•EP | Thermally Stimulated Currents from Non-Treated Poly(ethylene Terephthalate) Films | Goro SAWA, Shuhei NAKAMURA, Yoji NISHIO and Masayuki IEDA 1507 |
| EP | Drift Mobility of Positive Ions in Nematic MBBA at Low Electric Field | Masato YAMASHITA and Yoshifumi AMEMIYA 1513 |
| EP•TI | Determination of Depth Profiles by Angular Dependent X-Ray Photoelectron Spectra | Hiroshi IWASAKI, Ryusuke NISHITANI and Shogo NAKAMURA 1519 |
| EP•MI | The Electroviscous Effect in the MBBA Liquid Crystal | Tsutomu HONDA, Tadashi SASADA and Kaoru KUROSAWA 1525 |
| EP•MI | Dielectric Relaxation of Water Contained in Plant Tissues | Kan-ichi KAMIYOSHI and Akio KUDÔ 1531 |
| EP•MI | Thermally Stimulated Discharge Currents in Tubular Magnetoelectrets of Polymethyl Methacrylate | Rudra Kant SRIVASTAVA, M. S. QURESHI and C. S. BHATNAGAR 1537 |
| OP | DC Electroluminescence on M-I-S Structures in Thin Films | Hironaga MATSUMOTO, Shinichi TANAKA and Tadaichi YABUMOTO 1543 |
| OP | Effect of Impurity Aggregation on the Shift of Thermoluminescence Glow Peak of X-Irradiated KCl: Sr ²⁺ | Katsuyuki INABE and Nozomu TAKEUCHI 1549 |
| OP•SE | Photoluminescence Properties of CuGaSe ₂ Grown by Iodine Vapour Transport | Masami SUSAKI, Takeshi MIYAUCHI, Hiromichi HORINAKA and Nobuyuki YAMAMOTO 1555 |
| MG•ST | ESR Spectra of the Molten MnCl ₂ -KCl System | Kei TANEMOTO and Tetsurô NAKAMURA 1561 |
| MG•MP | Ultrasonic Generation by Ferromagnetic Resonance in Evaporated Ni-Fe Alloy Films. I | Minoru TAKAHASHI, Yoshiaki SUNAKAWA and Yukio SHIBATA 1565 |
| SE•CR | Si Contamination in Epitaxial Boron Monophosphide | Jun OHSAWA, Tatau NISHINAGA and Susumu UCHIYAMA 1579 |
| SD•SE | Effect of Residual Stress on Hole Mobility of SOS MOS Devices | Shinji ONGA, Katunori HATANAKA, Shinji KAWAJI, Yoshio NISHI and Yukio YASUDA 1587 |
| QE | Magnetic Field Tuning Dips in He-CdII and He-ZnII Hollow Cathode Lasers | Kyoichi DEKI, Yoshinobu TAKENAKA, Shigeru MATSUURA and Tatehisa OHTA 1593 |
| QE•SD | Temperature Characteristics of a GaAs-AlGaAs Integrated Twin-Guide Laser with Distributed Bragg Reflectors | Hideo KAWANISHI and Yasuharu SUEMATSU 1599 |
| QE | Comparison of Optical Ringing Effects of Injection Lasers for the Internal Loss Modulation and the Direct Modulation | Yasuo SEKI 1605 |
| NU | Disturbance Caused by Probes in the Electric Field Measurement in a Magnetized DC Discharge Plasma | Motoichi KAWAGUCHI and Hiroyoshi TANAKA 1613 |
| NU•QE | Detailed Study of Dynamic Behaviour of a Focused Plasma by N ₂ Laser Interferometry | Katsumi HIRANO, Katsuji SHIMODA and Fumio HAMADA 1619 |
| NU•TI | Absolute Calibration of a Grazing-Incidence Vacuum Monochromator by Means of Tokamak Discharges | Satoshi KASAI, Akimasa FUNAHASHI, Shigeru KONOSHIMA, Masayuki NAGAMI, Tatsuo SUGIE and Kazuo MORI 1625 |
| NU | Tailoring of Specific Sizes of Cluster Ions for Producing Intense Negative Ion Beams | Hiroshi ENJOJI, Suck Hee BE and Katsuki YANO 1633 |
| TI•OP | Digital Control of a Raman Spectrometer by a Small Computer and Its Application to Soft Mode Spectroscopy | Tateyuki YOKOTA, Yasunari TAKAGI and Takeshi SHIGENARI 1643 |
| TI•WO | A Prism Correlator and Its Application to Stereo Photogrammetry | Mitsuhiro UEDA and Kenichi KAIDA 1651 |
| TI•NU | Selection of Glassmicroballoon and Measurement of Pellet Properties for Laser Fusion Experiments | Takayoshi NORIMATSU, Kiyoko HASHIZUME, Akira TSUJIMOTO, Takatomo SASAKI, Tatsuhiko YAMANAKA and Chiyoe YAMANAKA 1657 |
| MI | Response Function Method for Solving Dirichlet's Problems. II. Fast Calculation of the Solutions | Keizo MORIKAWA and Toku SASAKI 1663 |
| Short Notes | | |
| AT•TI | Remarks on the Calculation of Energy Loss in Electron-Resist Films on Substrates | Kenji MURATA, Masatoshi KOTERA and Koichi NAGAMI 1671 |
| SF•SE | Cd-Sn Oxide Films by DC Reactive Sputtering as Transparent Electrodes | Naoyuki MIYATA and Kiyoshi MIYAKE 1673 |

| | | | |
|-------|--|--|------|
| SF•TI | Recovery Processes of Si (111) and Ge (111) Surfaces Damaged by Argon Ion Bombardment | Toshihiro ICHIKAWA and Shozo INO | 1675 |
| TP•SE | Bonds in CdSiP ₂ Studied by Thermal Expansion Coefficients | Tanehiro NAKAU, Hiroshi NIMURA, Yoshiharu OZAKI, Seiji KAMADA and Tadashi HISAMATSU | 1677 |
| EP•SE | Trap-Controlled Field Instability Associated with Defects Introduced by Ion-Irradiation in Photo-conductive Thin Films | Osamu YOSHIE, Mitsuo KAMIHARA and Koichi KANAYA | 1679 |
| MG | Automotion Properties of Fast σ Bubble | Satoshi IWATA, Shigeru SHIOMI, Susumu UCHIYAMA and Toshitaka FUJII | 1681 |
| WO•TI | 3-D Display System Using a Computer Generated Integral Photograph | Yutaka IGARASHI, Hiroshi MURATA and Mitsuhiro UEDA | 1683 |
| SE | Annealing Effect on Carrier Density Profile in GaAs Covered with Anodic Oxide | Hiroshi YOKOMIZO and Toshiaki IKOMA | 1685 |
| NU | Production of a Solid Density Plasma by a Plasma Focus Discharge | Akihiro SAKURAI, Katsuji SHIMODA and Katsumi HIRANO | 1687 |
| ST•CR | Evidence of the Modulated Structure in Au-Ni Films | Kazuo SAITOH and Michi-hiko MANNAMI | 1689 |
| CR•SD | Impurity Effect on Interface Morphology of AlGaAs LPE on Corrugated GaAs Substrates | Tadahisa OTA, Shin-ichi TAKAHASHI and Takeshi KOBAYASHI | 1691 |
| SF•MP | Preparation of Si-C Films by Plasma Deposition Process with Neutralization | Hideo YOSHIHARA, Hidefumi MORI, Mikiho KIUCHI and Toshiki KADOTA | 1693 |
| SF•CR | Surface Structure of GaAs _{1-x} Sb _x Grown by Molecular Beam Epitaxy | Susumu MARUYAMA, Takao WAHO and Shigeo OGAWA | 1695 |
| SF•TI | Quantitative Analysis of Na in Si with SIMS | Masaharu OSHIMA, Masahiro SEKI and Izumi KAWASHIMA | 1697 |
| MP | Ultrasonic Absorption of L-Proline in Aqueous Solutions | Naoki INOUE | 1699 |
| SD | InGaAsP/InP Double-Heterostructure Photodiodes | Shiro SAKAI, Masayoshi UMEMO and Yoshifumi AMEMIYA | 1701 |
| NU•MI | Thermoluminescence and ESR Dating of Akiyoshi Stalactite | Toshikatsu MIKI and Motoji IKEYA | 1703 |
| TI•WO | Attainment of the High Resolution in the Far Infrared Fourier Spectroscopy | Atsuo KITADE and Kunio YOSHIHARA | 1705 |

NO. 10 (OCTOBER)

| | | | |
|-------|---|---|------|
| ST•TI | Electron Spin Resonance Study of Hydrogen Atoms Trapped in Ammonium Fluoroberyllate | Kiyoshi MATSUKI, Keiichi OHNO and Junkichi SOHMA | 1707 |
| MP | Flash Radiographic Study of Shock Wave Propagation in Laminated Composites | Kunihito NAGAYAMA, Masahiro FUJITA and Ikuo OHKAWA | 1713 |
| EP•MI | Effect of Elongation on Electrical Conduction in Gamma-Rays Irradiated Low Density Polyethylene | Masayoshi MASUI, Hideo NAGASAKA and Kichinosuke YAHAGI | 1719 |
| EP•ST | Effects of Hydrogen on Resistivity Recovery of Tantalum Cold-Worked at 4.2 K | Reimon HANADA, Teruo SUGANUMA and Hiroshi KIMURA | 1727 |
| EP•ST | Thermally Stimulated Currents from Polyethylene Terephthalate due to Injected Charges | Kenzo KOJIMA, Akinori MAEDA, Yoshiaki TAKAI and Masayuki IEDA | 1735 |
| EP | Impulse Surface Flashover along a Polycarbonate Plate with a Back Electrode in Vacuum | Yoshimichi OHKI, Michio SAKAI and Kichinosuke YAHAGI | 1739 |
| SE•CR | Preparation of Some Chalcogenide Spinel Single Crystals and Their Electronic Properties | Tsuneo WATANABE and Ichiroh NAKADA | 1745 |
| SE•ST | Magnetic Annealing Effect of Amorphous (Fe _{1-x} Co _x) ₇₇ Si ₁₀ B ₁₃ Alloys | Terunobu MIYAZAKI and Minoru TAKAHASHI | 1755 |
| WO•NU | Alumina Loaded Antenna for Lower Hybrid Wave Heating | Shuichi TAKAMURA, Hisao AMANO and Takayoshi OKUDA | 1765 |
| WO•TI | Optical Coherence Reduction by an Amplitude-Modulated Ultrasonic Wave | Yoshihiro OHTSUKA | 1775 |
| WO•MP | Vibration Analysis by Wavefront Modulated Holography | Jun'ichiroh FUJIMOTO and Masahide YONEYAMA | 1781 |
| SE•ST | Time-of-Flight Measurement of Carrier Mobility in Ge _x Se _{1-x} Glasses | Gi Il KIM and Junji SHIRAFUJI | 1789 |
| SE | Temperature Dependence of Hall Factor in Low-Compensated n-Type Silicon | Eiji OHTA and Makoto SAKATA | 1795 |

| | | | |
|-------|---|---|------|
| SE•EP | Electroabsorption in ZnTe Doped with In or Al | Kunio KASE | 1805 |
| SE•OP | Refractive Index of $\text{Ga}_{1-x}\text{In}_x\text{As}$ Prepared by Vapor-Phase Epitaxy | Toru TAKAGI | 1813 |
| SE | Semiconductive Properties and Cation Distribution of Copper Ferrites $\text{Cu}_{1-\delta}\text{Fe}_{2+\delta}\text{O}_4$ | Noriyuki NANBA and Satoru KOBAYASHI | 1819 |
| QE | Mode Characteristics of TEA CO_2 Laser Using an Unstable Resonator | Hideo HIROSE and Shozo KON | 1825 |
| NU | A New Possibility to Form Reversed-Field Configuration for Imploding Liner | Kazunari IKUTA | 1831 |
| NU | Temporal Instability in Crossed Electric and Magnetic Fields | S. GUHA and S. GHOSH | 1835 |
| TI•SE | Boron Implantation into Si Using B_2O_3 and B Mixture for Ion Source Material | Kazuyoshi SHINADA and Tadatsugu ITOH | 1839 |
| TI•SE | Annealing Characteristics of Be Ion Implanted GaAs | Shunji NOJIMA and Yasuhiro KAWASAKI | 1845 |
| TI•AT | A Three-Dimensional Study of the Absorbed Energy Density in Electron-Resist Films on Substrates | Kenji MURATA, Eiichi NOMURA, Koichi NAGAMI, Takaaki KATO and Hidefumi NAKATA | 1851 |
| MI•MP | Vortex Motion in a Josephson Junction Induced by Phonon Injection | Syozyo IMAI, Seizo MORITA and Nobuo MIKOSHIBA | 1861 |

Short Notes

| | | | |
|-------|---|--|------|
| CR•SE | InP Single Crystal Growth by the Synthesis, Solute Diffusion Method | Akio YAMAMOTO and Chikao UEMURA | 1869 |
| EP•SF | Humidity Sensitive Electrical Conduction of Polycrystalline Boron Nitride Films | Tadamasa KIMURA, Katsumi YAMAMOTO and Shigemi YUGO | 1871 |
| OP•SD | Lateral Photovoltaic Effect in MOS Structures | Hirohiko NIU and Munezo TAKAI | 1873 |
| OP•EP | Anomalous Stress Effect of the C Band in KI:Ti^+ | Masakazu ISHIGURO, Kumiko ASAMI and Masahiro ISHIDO | 1875 |
| MG | Magnetic Properties of the $(\text{Fe}_{1-x}\text{Co}_x)_{77}\text{Si}_{10}\text{B}_{13}$ Amorphous Alloys | Mitita GOTO, Hatsuo TANGE and Toshihiko TOKUNAGA | 1877 |
| WO•OP | Color Transient in a Nematic Liquid Crystal Cell | Teruo SHIMOMURA, Hitoshi MADA and Shunsuke KOBAYASHI | 1879 |
| SE•TI | Ion-Implanted Arsenic Profiles in GaAs Encapsulated by SiO_2 and Si_3N_4 | Katsuhiro YOKOTA, Susumu TAMURA, Kenji GAMO, Susumu NAMBA, Kohzoh MASUDA, Shinji ISHIHARA and Itsuro KIMURA | 1881 |
| SD•SE | Some Properties of Schottky Barrier Formed on Chalcogenide Amorphous Semiconductor | Tadashi SHIRAIISHI, Tateki KUROSU and Masamori IIDA | 1883 |
| SD•OP | Study on the Reduction of Reflection Losses in CdS/InP Solar Cells | Akihiko YOSHIKAWA, Hideo SATO, Haruo KASAI and Masao NISHIMAKI | 1885 |
| QE•SD | Buried Stripe GaInAsP/InP DH Laser Prepared by Using Meltback Method | Hiroyuki KANO, Kunishige OE, Seigo ANDO and Koichi SUGIYAMA | 1887 |
| NU•MI | Observation of Equilibrium Surface Ripples of High Intensity Relativistic Electron Beams | Noriyuki KOBAYASHI, Sunao KAWASAKI, Yusuke KUBOTA and Akira MIYAHARA | 1889 |
| EP•SE | Observation of NEA Activation Process by Laser Beam Scanning | Yoshinori HATANAKA, Mitsutaka TAKEMURA and Ryozyo NISHIDA | 1891 |
| MG | Contiguous-Disk Bubble Propagation Circuit | Fumiaki HYUGA, Mitsuo YAMAMOTO and Nobuyori TSUZUKI | 1893 |
| WO | Far Infrared Spectroscopy by the Fabry-Perot Interferometer | Kunio YOSHIHARA and Atsuo KITADE | 1895 |
| SE•ST | Electrical and Optical Properties of Boron Doped Amorphous Si Prepared by CVD Method | Takahiro MAKINO and Hiroaki NAKAMURA | 1897 |
| QE•SD | $\text{In}_{0.53}\text{Ga}_{0.47}\text{As}/\text{In}_{1-x}\text{Ga}_x\text{As}_y\text{P}_{1-y}$ Double Heterostructure Lasers with Emission Wavelength of $1.67\ \mu\text{m}$ at Room Temperature | Shigeyuki AKIBA, Kazuo SAKAI and Takaya YAMAMOTO | 1899 |
| NU•EP | Delayed Electrical Breakdown of Electron-Beam-Irradiated SF_6 Gas | Hidehori MATSUZAWA, Toshiyasu AKIYAMA and Shinji SUGANOMATA | 1901 |
| NU | A Direct Energy Converter for Fusion Reactors | Kazunari IKUTA | 1903 |
| TI | High Pressure X-Ray Camera with Oscillating Diamond Anvils | Hiroshi IWASAKI | 1905 |
| TI | High Voltage Nanoseconds Pulse Generator with Very Fast Rise Time | Yusuke KUBOTA and Akira MIYAHARA | 1907 |
| CR•TI | Fluorescent X-Ray Analysis on the Composition of Vapour Grown FeCr_2S_4 | Hideaki ISHIZUKI and Mutsumi SATO | 1909 |
| MG | Temperature Dependence of Saturation Magnetization in Amorphous Co-B Alloys | Minoru TAKAHASHI, Chong Oh KIM, Masami KOSHIMURA and Takao SUZUKI | 1911 |

Erratum

- MP•WO Magneto-Optical Properties of Ultrasonic Light Diffraction in Glasses [17 (1978) 1197]
 Toshihiko YOSHINO 1913

NO. 11 (NOVEMBER)

- ST Strain Profile of Plastic Zone in Dislocation-Free Niobium Single Crystal Determined by X-Ray
 Topography Hiroshi NARAMOTO and Kōji KAMADA 1915
- SF•SE X-Ray Photoemission Study of the Oxidation Process at Cleaved (110) Surfaces of GaAs, GaP and
 InSb Hiroshi IWASAKI, Yusuke MIZOKAWA,
 Ryusuke NISHITANI and Shogo NAKAMURA 1925
- TP Non-Equilibrium Thermodynamics of Highly Rarefied Neutron Gas under Creative and Destructive
 Reactions Hideo HAYASAKA 1935
- EP•SF DC Conduction in Si_3N_4 Films Grown by the Pyrolytic Reaction between Silane and Ammonia . .
 Fateh Mohammad NAZAR 1953
- EP•MI Relation between Electrostatic Capacity of Polyethylene and Electronic Space Charges Induced by
 High Field Application Hidenobu SAKAMOTO and Kichinosuke YAHAGI 1959
- EP Elastic and Piezoelectric Properties of Potassium Lithium Niobate (KLN) Crystals
 Masatoshi ADACHI and Akira KAWABATA 1969
- OP•ST OH-Ion Distribution in Preforms of High-Silica Optical Fiber
 Masao KAWACHI, Masaharu HORIGUCHI, Akio KAWANA and Tadashi MIYASHITA 1975
- OP•TI Study of Anneal Behaviors of N_2^+ -Implanted *p*-Si by Means of a Lateral Photovoltaic Method . .
 Hirohiko NIU, Tetsuro MATSUDA and Munezo TAKAI 1983
- MG Sm-Co-Cu-Fe-Ti Magnets Koichiro INOMATA, Teruo OSHIMA,
 Tadashi IDO, Masakazu YAMADA and Hideki YAMAMIYA 1993
- MG Analysis of One-Dimensional Domain Wall Motion under a Biased In-Plane Field
 Toshitaka FUJII, Takashi SHINODA, Shigeru SHIOMI and Susumu UCHIYAMA 1997
- WO•MG Kerr Readout Characteristics of Gd-Fe, Tb-Fe and Dy-Fe Amorphous Alloy Films
 Yoshinori MIMURA, Nobutake IMAMURA and Toshihiko KOBAYASHI 2007
- SE•SF Mechanisms of Field Ionization and Field Evaporation on Semiconductor Surfaces
 Youichi OHNO, Shogo NAKAMURA and Tsukasa KURODA 2013
- NU Numerical Study of Vertical Stability in Elongated Tokamak
 Mamoru HATA, Keiichi SAKURAI, Yuji TANAKA and Takayoshi OKUDA 2023
- TI•MI Evaluation of Radiographic Images by Entropy: Application to Development Process
 Suguru UCHIDA and Du Yih TSAI 2029
- MI•NU Analysis of the Magnetic Field Penetrating through a Cylindrical Resistive Shell of a Tokamak . .
 Taro SOMETANI and Katsumi FUKAGAWA 2035
- MI•CR Effect of Pressure on the Transition of β -Phase Alloy in Copper-Palladium System
 Hiroshi IWASAKI and Akio KANEKO 2041

Short Notes

- AT•TI On the Observation of Doppler-Free Resonance Fluorescence
 Akiyoshi WATANABE, Yoshi-ichi SATO and Yoshito AMAKO 2047
- ST The Enhancement of Anomalous Transmitted X-Ray Intensity by Asymmetric Diffraction and Its
 Application to Si Wafer Evaluation
 Seigō KISHINO, Naotsugu YOSHIHIRO and Takashi IZUKA 2049
- ST•SE Inhomogeneous Oxygen Precipitation and Stacking Fault Formation in Czochralski Silicon . . .
 Naohisa INOUE and Jiro OOSAKA 2051
- SF•EP Epitaxial Growth of Potassium Lithium Niobate Single-Crystal Films on Potassium Bismuth Niobate
 Single Crystals by RF Sputtering
 Masatoshi ADACHI, Minoru HORI, Tadashi SHIOSAKI and Akira KAWABATA 2053
- SF•SD Preparation of Insulating Film for Tunneling Study on Zero Bias Anomaly
 Morio SUZUKI and Kazunori KOMORITA 2055
- TP•TI Stabilization of the Pressure Difference in a Capillary-Type Viscometer with a Feedback System
 Hiroshi KOBAYASHI 2057
- WO•NU A Homodyne Method for Detecting Asymmetric Spectra in Electromagnetic Wave Scatterings from
 Plasmas Takashige TSUKISHIMA and Osamu ASADA 2059
- SE•CR Dependence of Surface Flatness on the LPE Condition of AlGaSb
 George MOTOSUGI and Toshiaki KAGAWA 2061

| | | |
|-------|---|---|
| SD•MI | Temperature Dependence of Capacitance of Silicon <i>p-n</i> Step Junctions | Makoto KATSUHATA, Kesao KOURA and Shigetomo YOSHIDA 2063 |
| SD•SE | InGaAsP/InP Avalanche Photodiode | Yoshifumi TAKANASHI and Yoshiji HORIKOSHI 2065 |
| QE | Conditions of LPE Growth for Lattice Matched GaInAsP/InP DH Lasers with (100) Substrate in the Range of 1.2–1.5 μm | Shigehisa ARAI, Yoshio ITAYA, Yasuharu SUEMATSU, Katsumi KISHINO and Shinya KATAYAMA 2067 |
| NU•WO | Observation of Parallel and Perpendicular Propagations of Ion Sound Waves in a Linear Turbulently Heated Plasma | Osamu ASADA, Koji OKADA, Masaaki NAGATSU, Atsushi MASE and Takashige TSUKISHIMA 2069 |
| TI•MI | Effect of Dark Space in RF Glow Discharge on Plasma Etching Characteristics | Seitaro MATSUO, Yumiko TAKEHARA and Akira OZAWA 2071 |
| TI | Observation of Lattice Images with a Field Emission Electron Microscope | Tsuyoshi MATSUDA, Akira TONOMURA and Tsutomu KOMODA 2073 |
| MI•EP | The Electroviscous Effect in <i>n</i> -Hexane/Acetone Mixtures | Tsutomu HONDA and Tadashi SASADA 2075 |
| MI | The Mixing Properties of the Cartridge Type Josephson Junction Point Contact Device at 70 GHz | Yoshikazu HAYASHI, Tatsuji KATO, Hideo OGAWA, Toshihiro OMODAKA, Toshiaki TAKANO and Masahiro HIRAYAMA 2077 |

NO. 12 (DECEMBER)

| | | |
|-------|---|---|
| CR | The Ga–In–Sb Ternary Phase Diagram at Low Growth Temperature | Hidejiro MIKI, Kazuaki SEGAWA, Mutsuyuki OTSUBO, Kiyoshi SHIRAHATA and Keiji FUJIBAYASHI 2079 |
| SF | Considerations on the Stress Effects in the As-Doped Oxide Film Roughening | Yoshihiro TSUNODA 2085 |
| SF•SE | Molecular Beam Epitaxy of GaSb and GaSb _{1-x} As _x | Mitsuaki YANO, Yukio SUZUKI, Tetsuo ISHII, Yuichi MATSUSHIMA and Morihiko KIMATA 2091 |
| SF | Surface Structures of Ag on Si (111) Surface Investigated by RHEED | Yoshihiko GOTOH and Shozo INO 2097 |
| EP | Cyclotron Resonance in Deformed Lead Crystals | Yoshichika ÔNUKI and Sei-ichi TANUMA 2111 |
| QE | Estimation of Coupling Efficiency between Gain-Induced Guides | Hitoshi KAWAGUCHI and Nobuo MATSUMOTO 2117 |
| QE•OP | Transient Behavior of a Saturable Optical Resonator with Distributed Bragg-Reflectors | Masahiro OKUDA, Kiyoshi ONAKA and Takashi SAKAI 2123 |
| NU•TI | Neutral-Particle Detector and Spectrometer for Plasma Measurement | Toyoaki KIMURA and Hideo AKIMUNE 2129 |
| NU•MG | Determination of Optimum Positions of the Poloidal Field Coils of a Large Tokamak | Tomofumi KOBAYASHI, Keiji TANI and Sanae TAMURA 2139 |
| MI | Some Kinematic Properties of Steady Micropolar Fluid Flows | A. INDRASENA 2147 |

Short Notes

| | | |
|-------|---|--|
| CR•SF | Effect of Cr ₂ O ₃ Addition on Surface Grain Growth of Alumina | Kaoru HASHIMOTO, Koichi NIWA and Kyohei MURAKAWA 2151 |
| MP•WO | Vibration Analysis of Tuning Fork for Clock by Using the Speckle Method | Hiroshi KONNO and Toshiharu TAKO 2153 |
| EP•SE | Electron-Beam-Induced Current in Amorphous Chalcogenide Film/Crystalline Silicon Hetero-junctions | Noboru TOHGE, Tsutomu MINAMI and Masami TANAKA 2155 |
| EP | Surface Potential Decay of Corona-Charged High-Density Polyethylene | Teruyoshi MIZUTANI, Akio OOTA and Masayuki IEDA 2157 |
| EP•MI | Crystallization Process and Electrical Conduction of Poly(vinylidene fluoride) | Masayuki YODA, Goro WASA and Masayuki IEDA 2159 |
| OP•ST | Raman Spectra of Tetrahedral MnCl ₄ ²⁻ Ion in MnCl ₂ ·2ACl (A=Li, Na, K, Rb, Cs) Melts | Kei TANEMOTO and Tetsurô NAKAMURA 2161 |
| MG | Large Automotion of an <i>S</i> =1/2 Bubble | Susumu KONISHI, Kimihide MATSUYAMA, Yusaku YOSHIDA and Kenji NARITA 2163 |
| WO•ST | Observation of Interference Fringes of Bubble Domain Texture in Liquid Crystals | Nobuhiko NAWA and Kenichi NAKAMURA 2165 |

Contents of Vol. 17 (1978)

| | | |
|-------|---|------------------|
| SE | Effect of Stacking Faults on Carrier Generation in a Silicon Depletion Layer | |
| | Yutaka MATSUOKA, Kenji IKUTA and Shigeru NAKAJIMA | 2167 |
| QE | Frequency Stability of an H ₂ CO-Stabilized He-Xe Laser in an Axial Magnetic Field | |
| | Motoichi OHTSU and Toshiharu TAKO | 2169 |
| MI | Effect of Red Blood Cell on Velocity Profiles of Blood Flow in Small Tubes | Noriko IIDA 2171 |
| SE•MG | Phase Analysis and Some Physical Properties of the Higher Chromium Germanides | |
| | Iwao KAWASUMI, Satoshi KONISHI, Masayoshi KUBOTA and Makoto SAKATA | 2173 |
| QE•SD | Degradation of (GaAl)As-GaAs DH Lasers in Water due to Facet Deterioration | |
| | Koichi WAKITA and Mitsuo FUKUDA | 2175 |
| QE | A Semi-Classical Theory of Two-Photon Laser Oscillation | |
| | Tsutomu HOSHIMIYA, Akio YAMAGISHI, Naohiro TANNO and Humio INABA | 2177 |

Errata

| | |
|---|--|
| The Spine of Vol. 17 No. 11 Issue | 2179 |
| TI•NU | Selection of Glassmicroballoon and Measurement of Pellet Properties for Laser Fusion Experiments |
| | [17 (1978) 1657] . . . Takayoshi NORIMATSU, Kiyoko HASHIZUME, Akira TSUJIMOTO, |
| | Takatomo SASAKI, Tatsuhiko YAMANAKA and Chiyoe YAMANAKA |
| | 2179 |

| | |
|---------------------------------------|-----|
| Volume Contents to Vol. 17 | C—1 |
| Subject Index to Vol. 17 | S—1 |
| Author Index to Vol. 17 | A—1 |
| Contents of Supplement 17-1 | i |
| Contents of Supplement 17-2 | v |

